




FLOWLINE



**YOUR PROJECT,
YOUR CHOICE**







ARTECH LIGHTING

Artech Lighting applies sophisticated design, manufacturing excellence and rapid assembly to provide an outstanding architectural and technical product range.

Based in Durham City, Artech Lighting is a UK company with core values of architectural integration, innovative technology, energy efficiency and sustainability.

A true UK lighting manufacturer.



This elegant contemporary luminaire incorporates the latest LED technology and cutting-edge design, producing class-leading performance and efficiency.

This fully modular system in various body sizes and a range of accessories, combines to provide solutions in almost any shape for every application.

Standard Features:

CRI > 85

UGR < 19

Artech Lighting's flexibility throughout the range guarantees reduced lead times for product and the customer-friendly design ensures easy installation in all applications.

The current product provides a huge range of size and power solutions, up to 122lm/W efficiency.

Long life

> 50,000 hours, energy efficient LED technology.



OPTIONS

- Small, Medium and Cornice option with Surface, Suspended, Wall, and Recessed with or without trim.
- Available in white, black or anodised aluminium finish as standard, **although any RAL colour is available on request.**
- Indirect / direct solutions.
- Standard, Dali, Mains Dim, self-test and EMPRO emergency.

Mounting Options:

1. Recessed Luminaire - Trimless
2. With trim
3. Surface
4. Suspended Luminaire
5. Wall
6. Sizes S, M, Cornice



PRODUCTS

Artech Lighting's interior architectural lighting solutions enrich environments and enhance human comfort and performance.

Sustainable product innovation, backed by the highest quality component design ensures all of our ranges consider architectural applications and integration, whilst maximising energy efficiency and performance.

Artech Lighting has developed a comprehensive range of elegant, energy efficient, cutting-edge interior and exterior products.

All products are developed to embrace our core values and principles:


- Architectural Integration
- Innovative Technology
- Efficiency and Performance
- Sustainable Quality
- Simple Installation, including pre-wired options to significantly reduce installation time
- Modular design approach

Our standard ranges include:

- Interior
- Exterior

Visit our website: www.artechlighting.com





FLOWLINE PART CODES EXPLAINED

Part Code e.g: **AFL 14 30 MP B R W DE3**



Product




Lumen



Temperature




Diffusion



Size




Mounting Method




Color

OPTICS


Frosted Opal Diffuser
UGR <22



MicroPrism Optic
UGR <19



Indirect Direct Solutions



ORDERING GUIDE

Product

AFM Flowline Medium **AFS** Flowline Small **AFC** Flowline Cornice

Lumen Output (Numbers at 1:100 ratio. 9=900 lumen, direct and indirect available)

09 **12** **13** **14** **15** **18** **19** **20** **22** **23** **24**
26 **29** **31** **33** **37** **40** **44** **51** **52** **62** **72**

Temperature

30 3000 Kelvin **40** 4000 Kelvin

Diffusion

OD Opal **MP** MicroPrism

Size

B 570mm **C** 850mm **D** 1130mm **E** 1410mm
F 1690mm **G** 1970mm

Mounting Method

RT Recessed Trim **R** Recessed Trimless **P** Pendant
S Surface **W** Wall Mount

Colour



W White 9010 **B** Black 9005 **A** Aluminium 7001
RAL Any RAL Colour


Options

D DALI **DEP** DALI Empro **DE3** DALI 3HR Emergency **DST** DALI Self Test
E3 3HR Emergency **EP** Empro **ST** Self Test

Custom Solutions: Variation for product solutions available upon request.

DIMENSIONS





CONTACT

+44 (0) 191 378 7960
info@artechlighting.com
www.artechlighting.com

